



safety & lifting

FOR SAFE
WORKING LIVES

1 HEAD & FACE PROTECTION



CATALOGUE **VOL2**



3M



HEAD & FACE PROTECTION

1



BUNZL SAFETY AND LIFTING IS PROUD TO OFFER AN EXTENSIVE RANGE OF HARD HATS AND ACCESSORIES CERTIFIED TO THE HIGHEST AUSTRALIAN STANDARDS.

Our hard hats are suited to all applications and include printable versions for easy company and personal identification.

FRONTIER HARD HATS & ACCESSORIES	6-10
3M HARD HATS & ACCESSORIES	11-17
MSA HARD HATS & ACCESSORIES	18-20

HEAD & FACE PROTECTION

BUNZL SAFETY & LIFTING'S MISSION IS TO PROTECT WORKING LIVES BY PROVIDING HIGH QUALITY SAFETY SOLUTIONS AND GIVING BOTH EMPLOYERS AND WORKERS PEACE OF MIND.

Industries such as mining, construction and forestry legally requires head protection that complies with Australian Standards.

Our head & face protection category consists of a wide range of solutions suited to various industrial applications and environments, all of which meet AS/NZS 1801:1997.

Bunzl Safety & Lifting's range can be fitted and customised with a wide array of accessories and options such as logo printing, reflective tapes, miners' lamps and chin straps.

In addition, safety helmets can be integrated with other personal protective equipment PPE such as earmuffs and face shields.

AS/NZS 1801:1997

The objective of this Standard is to specify protective helmets that are to be worn in a variety of occupations, in order to reduce the severity of head injury from hazards associated with such activities.

The Standard specifies requirements for occupational protective helmets to protect wearer's heads from falling objects in building and construction, quarrying, shipbuilding, forestry and other occupations with similar hazards. These requirements include the construction and material of the helmet shell and head harness, mechanical strength of the shell and finish of the helmet.

Three types of occupational protective helmets are specified on AS/NZS 1801:1997 as per below:

- TYPE 1** General Industry Safety Helmets - ABS plastic
- TYPE 2** Designed for high temperature applications - Polycarbonate
- TYPE 3** Designed for bush fire fighting - Polycarbonate with bush fire applications




SAFETY HELMETS VARIATIONS

STANDARD HAT

Featuring a front short brim, the standard cap style is great for attaching accessories such as earmuffs with ease.

VENTED

Vents in the top of the hard hat provide air flow in hot environments.



NON-VENTED

Suitable for most environments, particularly those with dust or chemicals.



FULL BRIM

The full brim provides added protection from falling objects, sun and rain. This style can however limit the options on attachable accessories.



BUMP CAPS

Bump caps are adequate for protecting the head from light scrapes and knocks, however should not be used in place of hard hats (and where head protection is mandatory) as they do not comply to Australian Standards.

SNAP BRIMS

Providing protection from the sun, snap brims are sturdy and easily fit on to safety helmets.






FACE SHIELDS & VISORS

Clear polycarbonate face shields are high impact visors that attach to safety helmets and are used in many industries to protect workers against flying particles, liquid, chemical and molten splashes, radiated heat and glare.



SAFETY HELMET WORKING LIFE AND REPLACEMENT

Information pertaining to the selection, care and use of safety helmets is specified in the AS/NZS 1800:1998. The Standard states that the average service life of a safety helmet is three years from the time of issue or earlier if the helmet has changed in colour, exhibits any signs of wear or damage due to impact or deterioration. Head harnesses should be changed at least every two years of use.

CHECKLIST	
✓	 <p>All compliant safety helmets should have an issue date sticker on the inside of the shell for wearers to record name and date of issue</p>
✓	 <p>They should have the year and month of manufacture stamp</p>
✓	 <p>A helmet material stamp must be visible – e.g. ABS, polycarbonate</p>
✓	The safety helmet should be inspected regularly to ensure the harness is correctly fitted and secure
✓	The safety helmet shell should be visually examined for cracks, fading and damage caused by impact
✓	If deemed unfit for use, remove from service and replace the item
✓	Accessories and attachments must be compatible with Australian Standards

REPLACE SAFETY HELMET IF	
✓	The shell shows signs of wear or degradation e.g. colour faded or stained
✓	There are any dents, cracks, nicks or gouges in the inner or outer shell
✓	The shell feels stiff or brittle, or appears dull or chalky

REPLACE HARNESS IF	
✓	One or more of the points is damaged
✓	The harness is brittle, worn or damaged
✓	The suspension no longer holds the helmet on securely and comfortably

CARE AND MAINTENANCE

To maximise the time your safety helmet will last, follow these tips:

CHECKLIST	
✓	Clean the safety helmet with soap and water and dry with soft cloth. (Never clean with cleaning agents or abrasive substances).
✓	When storing safety helmets, it is important to store the item away from direct sunlight and chemicals.
✓	Ensure you never modify or alter the helmet or harness, and never place anything between the shell and harness as this will compromise the effectiveness of it.
✓	Inspect your helmet at least once a week. By conducting regular checks, you can inspect abrasions and scuffing. If abrasions are more than cosmetic damage, you should replace the safety helmet immediately.

It is the wearer's responsibility however, to ensure all accessories fitted to safety head gear be fully compatible and according to Australian Standards.

CUSTOMISATION

Corporate branding and reflective tape options are available across the range to help create and maintain company image and visibility on site.

There are various logo printing positions and colours available on orders as low as 20 units.

Safety helmets fitted with reflective tape have been tested to ensure that the adhesive is fully compatible with ABS (Acrylonitrile Butadiene Styrene) and polycarbonate materials.


The different shapes and patterns have been designed to fit the helmets and enhance the day and night-time visibility of the wearer. Most patterns have been designed to also fit around safety helmet accessories such as hearing protection, lamp brackets and company logo.

LOGO PRINTING & BRANDING SHOWN ON TA500 SERIES



The logo dimension depends on:

- 1 Shape of logo/artwork
- 2 Style of cap
- 3 Printing position



Reflective tapes shown on TA500 Series. More styles and options available.

STANDARD HARD HATS



COLOURS AVAILABLE



PRODUCT CERTIFICATION
BSI CERTIFIED PRODUCT
AS/NZS 1801:1997 LIC. BNF 74995



VENTED HARD HAT PINLOCK HARNESS - TYPE 1

FEATURES AND BENEFITS

- Vented
- High impact ABS construction
- Terylene 6 point pinlock harness
- Adjustable 6 point webbed harness for comfort and fit
- Takes 25 and 30mm accessories (cap attachable ear muffs)
- Pad printing available

STANDARDS

Complies to AS/NZS 1801:1997

CODE	COLOUR	PACK QTY	CTN QTY
FRTG57VTDWW0000	White	1	20
FRTG57VTDYY0000	Yellow	1	20
FRTG57VTDGG0000	Green	1	20
FRTG57VTDBL0000	Blue	1	20
FRTG57VTDOR0000	Red	1	20
FRTG57VTDOR0000	Orange	1	20

PPE | HEAD & FACE PROTECTION

HEAD & FACE PROTECTION

1



STANDARD HARD HATS



COLOURS AVAILABLE



PRODUCT CERTIFICATION
BSI CERTIFIED PRODUCT
AS/NZS 1801:1997 LIC. BMP 74955



VENTED HARD HAT RATCHET HARNESS - TYPE 1

FEATURES AND BENEFITS

- Vented
- High impact ABS construction
- Terylene 6 point ratchet harness
- Adjustable ratchet harness for comfort and fit
- Takes 25 and 30mm accessories (cap attachable ear muffs)
- Pad printing available

STANDARDS

Complies to AS/NZS 1801:1997

CODE	COLOUR	PACK QTY	CTN QTY
FRTG57VRHBB0000	Black	1	20
FRTG57VRHBL0000	Blue	1	20
FRTG57VRHGG0000	Green	1	20
FRTG57VRHOO0000	Orange	1	20
FRTG57VRHWW0000	White	1	20
FRTG57VRHY0000	Yellow	1	20



COLOURS AVAILABLE



VENTED MINERS CAP METAL LAMP BRACKET HARD HAT - TYPE 1

FEATURES AND BENEFITS

- Vented
- High impact ABS construction
- Terylene 6 point pinlock harness
- Adjustable 6 point webbed harness for comfort and fit
- Takes 25 and 30mm accessories (cap attachable ear muffs)
- Metal lamp bracket

STANDARDS

Complies to AS/NZS 1801:1997

CODE	COLOUR	PACK QTY	CTN QTY
FRTG57VTDWMLBR	White	1	20



COLOURS AVAILABLE



PRODUCT CERTIFICATION
BSI CERTIFIED PRODUCT
AS/NZS 1801:1997 LIC. BMP 74955



PRINTED VENTED HARD HAT PINLOCK HARNESS - TYPE 1

FEATURES AND BENEFITS

- Vented
- High impact ABS construction
- Terylene 6 point pinlock harness
- Adjustable 6 point webbed harness for comfort and fit
- Takes 25 and 30mm accessories (cap attachable ear muffs)
- Pad printing available

STANDARDS

Complies to AS/NZS 1801:1997

CODE	DESCRIPTION	COLOUR	PACK QTY	CTN QTY
FRTG57VTDGG00FA	First Aid	Green	1	20
FRTG57VTDRRWARD	Warden	Red	1	20
FRTG57VTDWWCWRD	Chief Warden	White	1	20
FRTG57VTDWWDCWD	Deputy Chief Warden	White	1	20



COLOURS AVAILABLE



PRODUCT CERTIFICATION
BSI CERTIFIED PRODUCT
AS/NZS 1801:1997 LIC. BMP 74955



NON-VENTED HARD HAT PINLOCK HARNESS - TYPE 1

FEATURES AND BENEFITS

- Non-vented
- High impact ABS construction
- Terylene 6 point pinlock harness
- Adjustable 6 point webbed harness for comfort and fit
- Takes 25 and 30mm accessories (cap attachable ear muffs)
- Pad printing available

STANDARDS

Complies to AS/NZS 1801:1997

CODE	COLOUR	PACK QTY	CTN QTY
FRTG56NV0BL0000	Blue	1	20
FRTG56NV0FY0000	HV Yellow	1	20
FRTG56NV0YY0000	Yellow	1	20
FRTG56NV0GG0000	Green	1	20
FRTG56NV0OO0000	Orange	1	20
FRTG56NV0RR0000	Red	1	20
FRTG56NV0WW0000	White	1	20

STANDARD HARD HATS



COLOURS AVAILABLE



PRODUCT CERTIFICATION
BSI CERTIFIED PRODUCT
AS/NZS 1801:1997 LIC. BNP 74955



CLEARVIEW VENTED HARD HAT PINLOCK HARNESS - TYPE 2

FEATURES AND BENEFITS

- Vented
- Terylene 6 point pinlock harness
- High heat rated polycarbonate construction

STANDARDS

Complies to AS/NZS 1801:1997

CODE	COLOUR	PACK QTY	CTN QTY
FRCLRVIEWBL0000	Blue	1	20
FRCLRVIEWCR0000	Clear	1	20
FRCLRVIEWGG0000	Green	1	20
FRCLRVIEWOO0000	Orange	1	20
FRCLRVIEWPK0000	Pink	1	20
FRCLRVIEWRD0000	Red	1	20
FRCLRVIEWSM0000	Smoke	1	20
FRCLRVIEWYY0000	Yellow	1	20

SAFETY WITH A CLEAR VIEW

NEW GENERATION FRONTIER CLEARVIEW SAFETY HELMETS



- UV400 stabilised suitable for indoor and outdoor use
- Unique clear view through helmet peak



- High impact polycarbonate
- Vented for increased wearer comfort
- Available in a large range of colours

As their name suggests the new generation Frontier Clearview range offer enhanced peripheral vision for additional awareness of possible hazards. The translucent shell allows wearers to look upwards without tilting the head back, and although see-through, the shell provides UV400 protection.



- Adjustable 6 point head harness
- Accepts most helmet attachments





TERRY TOWELLING REPLACEMENT SWEAT BAND

FEATURES AND BENEFITS

- Terry towelling replacement sweat band
- Easy to fit to head protection
- Ideal for long working periods and hot work environments
- Made from all cotton material to increase comfort

CODE	COLOUR	PACK QTY	CTN QTY
RSB	Black	1	20



REPLACEMENT HARD HAT HARNESS

FEATURES AND BENEFITS

- 6 point terylene head gear replacement
- Adjusts easily
- Light weight and durable
- Moulded for comfort

CODE	COLOUR	PACK QTY	CTN QTY
RWH	White	1	10



HARD HAT CHIN STRAP REPLACEMENT

FEATURES AND BENEFITS

- Chin strap replacement
- Comfortable and easily adjustable
- Fits most hard hats

CODE	COLOUR	PACK QTY	CTN QTY
FRTGCHNST000000	Black	20	200



COLOURS AVAILABLE



SNAP BRIM

FEATURES AND BENEFITS

- To suit a wide range of hard hats
- Provides added protection from the dangers of the sun
- Range of colour combinations
- Sturdy, high quality brims with fabric edging
- Removable neck flap. Attaches with velcro strip
- Easy to fit and remove

CODE	DESCRIPTION	COLOUR	PACK QTY	CTN QTY
FRSNAPBRMOO1000	Snap Brim Orange Compatible with MSA Advantage	Orange	1	20
FRSNAPBRMOO1002	Snap Brim Orange Compatible Protector HC600/HC600V	Orange	1	20
FRSNAPBRMOO1003	Snap Brim Orange Compatible with Frontier Hard Hat	Orange	1	20



B-Safe

VENTED + NON-VENTED HARD HATS

3M



CUSTOM OPTIONS AVAILABLE
LOGO & REFLECTIVE TAPE



Australian Standard
AS/NZS 1801:1997
SAI Global
Certified Product

TA560 NON-VENTED SAFETY HELMET - ABS TYPE 1

FEATURES AND BENEFITS

- Design incorporates multiple branding & reflective tape options
- ABS Type 1 safety helmet - Australian made
- 6 point terylene harness with adjustable headband
- 25mm moulded slots accept all 3M™ helmet accessories & hearing
- Polycarbonate & metal lamp bracket options available
- Replaceable terry towel sweatband

STANDARDS
Complies to AS/NZS 1801:1997 - Type 1

CODE	COLOUR	CTN QTY
TA560.WH	White	20
TA560.BL	Blue	20
TA560.FLOR	Fluoro Orange	20
TA560.FLYE	Fluoro Yellow	20
TA560.GN	Green	20
TA560.OR	Orange	20
TA560.RD	Red	20
TA560.YE	Yellow	20

3M



Australian Standard
AS/NZS 1801:1997
SAI Global
Certified Product



MINERS HELMET NON-VENTED & METAL LAMP BRACKET - ABS TYPE 1

FEATURES AND BENEFITS

- Helmet design incorporates multiple branding & reflective tape option positions
- 25mm moulded slots accept all 3M™ helmet accessories and hearing
- 6 point terylene harness with adjustable headband
- Metal lamp bracket. Polycarbonate option also available.

STANDARDS
Complies to AS/NZS 1801:1997

CODE	COLOUR	CTN QTY
TA560M.WH	White	20
TA560M.FLYE	Fluoro Yellow	20



PPE | HEAD & FACE PROTECTION

HEAD & FACE PROTECTION

1

VENTED + NON-VENTED HELMET

3M



Australian Standard
AS/NZS 1801:1997
SAI Global
Certified Product

TA570 VENTED SAFETY HELMET - ABS TYPE 1

FEATURES AND BENEFITS

- Design incorporates multiple branding & reflective tape options
- ABS Type 1 vented safety helmet
- Unique crown cooling vents for outdoor/indoor use
- 6 point terylene harness with adjustable headband
- 25mm moulded slots accept all 3M™ helmet accessories & hearing
- Polycarbonate & metal lamp bracket options available

STANDARDS
Complies to AS/NZS 1801:1997 - Type 1

CODE	COLOUR	CTN QTY
TA570.WH	White	20
TA570.BL	Blue	20
TA570.FLOR	Fluoro Orange	20
TA570.FLYE	Fluoro Yellow	20
TA570.GN	Green	20
TA570.OR	Orange	20
TA570.RD	Red	20
TA570.YE	Yellow	20

3M



Australian Standard
AS/NZS 1801:1997
SAI Global
Certified Product

MINERS HELMET VENTED & METAL LAMP BRACKET

FEATURES AND BENEFITS

- 25mm nylon webbing - 6 point
- Provides shock absorption
- Penetration resistant

STANDARDS
Complies to AS/NZS 1801:1997

CODE	COLOUR	CTN QTY
TA570M.WH	White	20
TA570M.OR	Orange	20

PPE | HEAD & FACE PROTECTION

3M



Australian Standard
AS/NZS 1801:1997
SAI Global
Certified Product

HH40 FULL BRIM NON-VENTED HARD HAT - ABS TYPE 1

FEATURES AND BENEFITS

- Durable & light weight
- Full brim for extra sun or splash protection
- Six point 25mm webbing harness with injection moulded adjustable headband
- Optional model: helmet with miners lamp brackets (metal or polycarbonate) available on request*

STANDARDS
Complies to AS/NZS 1801:1997

CODE	COLOUR	PACK QTY
3MHH401WBWW0000	White	1
3MHH401WBOO0000	Orange	1

HEAD & FACE PROTECTION

1

VENTED + NON-VENTED HARD HATS



UNVENTED POLYCARBONATE SAFETY HELMET - TYPE 2

FEATURES AND BENEFITS

- Australian made
- Type 2 polycarbonate shell for higher temperature work applications
- Comfortable 6 point terylene head harness
- Terry towel sweatband absorber (replaceable)
- 25mm moulded slots accept all safety helmet accessories (cap attach earmuffs and visors)

STANDARDS

PPE combinations have been tested as an approved combination under AS/NZS 1801:1997, AS/NZS 1337:1992, AS/NZS 1270:2002

CODE	COLOUR	CTN QTY
TA580.WH	White	20
TA580.YE	Yellow	20
TA580.RD	Red	20
TA580.OR	Orange	20
TA580.GN	Green	20
TA580.BL	Blue	20
TA580.FLOR	Fluoro Orange	20
TA580.FLYE	Fluoro Yellow	20



VENTED POLYCARBONATE SAFETY HELMET - TYPE 2

FEATURES AND BENEFITS

- Australian made
- Type 2 polycarbonate shell for higher temperature applications
- Top venting ensures cooler and more comfortable protection
- Comfortable 6 point terylene head harness
- Terry towel sweatband absorber (replaceable)
- 25mm moulded slots accept all safety helmet accessories (cap attach earmuffs and visors)

STANDARDS

PPE combinations have been tested as an approved combination under AS/NZS 1801:1997, AS/NZS 1337:1992, AS/NZS 1270:2002

CODE	COLOUR	CTN QTY
TA590.WH	White	20
TA590.YE	Yellow	20
TA590.RD	Red	20
TA590.OR	Orange	20
TA590.GN	Green	20
TA590.BL	Blue	20
TA590.FLOR	Fluoro Orange	20
TA590.FLYE	Fluoro Yellow	20



HH44 NON-VENTED FULL BRIM SAFETY HELMET - TYPE 2

FEATURES AND BENEFITS

- Type 2 polycarbonate for high temperature applications
- Full brim for extra sun or splash protection
- Six point 25mm webbing harness with injection moulded adjustable headband
- Optional model: helmet with miners lamp brackets (metal or polycarbonate) available on request*

STANDARDS

Complies to AS/NZS 1801:1997

CODE	COLOUR	PACK QTY
3MHH442WBWW0000	White	1
3MHH442WBOO0000	Orange	1

* Minimum order quantities may apply



BUSH FIRE HELMETS

3M

**CUSTOM
OPTIONS
AVAILABLE**



TYPE 3

Australian Standard AS/NZS 1801:1997 SMI Global Certified Product

3M

**CUSTOM
OPTIONS
AVAILABLE**



TYPE 3

Australian Standard AS/NZS 1801:1997 SMI Global Certified Product

HF46 BUSH FIREMAN'S HELMET - TYPE 3

FEATURES AND BENEFITS

- Type 3: polycarbonate heat resistant material
- Slimline brim for reduced weight & added comfort
- Flame resistant neck flap offers protection from naked flame, radiant heat & solar radiation
- Reflective tape for increased visibility
- Chinstrap for additional security & hanging hook for easy storage

STANDARDS

Complies to AS/NZS 1801:1997 - Type 3

CODE	COLOUR	PACK QTY
3MHF46BFHWW0000	White	1

HF44 BUSH FIREMAN'S HELMET - TYPE 3

FEATURES AND BENEFITS

- Type 3: lightweight polycarbonate heat resistant wide-brim helmet
- Wide brim for added ember & splash protection
- Flame resistant neck flap offers protection from embers & radiant heat
- Fitted with neck flap, elastic chin-strap & reflective tape as standard
- Available with or without visor

STANDARDS

Complies to AS/NZS 1801:1997 - Type 3

CODE	COLOUR	PACK QTY
3MHF44BFHWW0000	White	1

3M



YELLOW FLAME RESISTANT NECK FLAP

FEATURES AND BENEFITS

- Flame resistant
- Safety yellow
- Extra slots to suit 4 point chin strap
- Fit type 3 bushfire helmet

STANDARDS

Complies to AS/NZS2755.1

CODE	COLOUR	PACK QTY
3MHNFP4YY0000	Yellow	1



NYLON VISOR HOLDER FOR TA500 HELMET

FEATURES AND BENEFITS

- General purpose cap attached visor holder
- Low to high impact resistance and excellent heat resistance
- Nylon Visor Holder for TA500 Helmet Visor
- Pivoting system provides three positions and one hand operation
- Fits all 3M™ peaked safety caps

STANDARDS
Complies to AS/NZS 1337.1:2010

CODE	COLOUR	PACK QTY
VH500	Grey	1



NYLON PEAKED VISOR HOLDER FOR TA500 HELMET

FEATURES AND BENEFITS

- General purpose cap attached visor holder
- Low to high impact resistance and excellent heat resistance
- Nylon Peaked Visor Holder for TA500
- Pivoting system provides three positions and one hand operation
- Fits all 3M™ peaked safety caps

STANDARDS
Complies to AS/NZS 1337.1:2010

CODE	COLOUR	PACK QTY
VH500P	Grey	1



ALUMINUM VISOR HOLDER FOR TA500 HELMETS

FEATURES AND BENEFITS

- Suitable for very high temperatures
- Available in two sizes to fit 3M™ TA500 or TA400 Safety Helmets
- Ideal for radiant heat applications and are hinged to allow the lifting of the visor when needed

STANDARDS
Complies to AS/NZS 1337.1:2010

CODE	COLOUR	PACK QTY
3MNV765	Grey	1



SWEATBAND TERRY TOWELING

FEATURES AND BENEFITS

- Terry toweling is non-allergenic, comfortable & not skin sensitive
- Absorbent material
- Replaceable
- Economical and hygienic
- Fits all 3M series safety helmet head harnesses

CODE	COLOUR	PACK QTY
TA094	Black	1



SWEATBAND LAMBSWOOL FOR HELMETS

FEATURES AND BENEFITS

- Replaceable sweatband for comfort
- Prevents moisture obstructing vision
- Absorbent

CODE	COLOUR	PACK QTY
TA095	White	1



COTTON NECK FLAP FOR HARD HAT

FEATURES AND BENEFITS

- Provides added protection from the sun for outdoor workers
- Easily clips into all 3M Series Safety Helmets
- Ideal for outdoor workers

CODE	COLOUR	PACK QTY
TA170	White	1

ACCESSORIES



CHINSTRAPS FOR 3M™ SAFETY HELMETS

FEATURES AND BENEFITS

- Chinstrap for 3M™ safety helmets
- Elasticised chinstrap for added security in windy conditions
- Fitted to the small lower attachment hole on each side of the safety helmet

STANDARDS
Complies to AS/NZS 1337.1:2010

CODE	COLOUR	PACK QTY
TA175	Black	1



BALACLAVA HARD HAT - UNISIZE

FEATURES AND BENEFITS

- Hook and loop attachment lugs - easy fitting to helmet harness
- Integrated neckflap design for added warmth
- Rotates with helmet for improved safety and stability
- Suitable for forestry, construction, plant operators, cold storage, freezer or cold weather workers

STANDARDS
Complies to AS/NZS 1337.1:2010

CODE	COLOUR	PACK QTY
TA179BK	Black	1



CANVAS BRIM WITH NECKFLAP

FEATURES AND BENEFITS

- Provides sun protection for the face and neck
- Ideal for outdoor workers
- Available in a range of colours

STANDARDS
Complies to AS/NZS 1337.1:2010

CODE	COLOURS	PACK QTY
TA173	Black, Green, Orange, White, Yellow, Navy	1



FACE SHIELD VV230

FEATURES AND BENEFITS

- Medium impact protection
- Economical Faceshield
- Polycarbonate visor
- Resistant to medium impact particles and water-based liquids e.g. biological, acids, weak solvents
- Suitable for general use or for school laboratories or medical purposes

STANDARDS

Complies to AS/NZS 1801:1997 - Type 3

CODE	DESCRIPTION	PACK QTY
VV230	Blue browguard, clear visor, 300mm x 200mm	1



BROWGUARD HEADGEAR AND VISOR COMPLETE KIT

FEATURES AND BENEFITS

- The Australian made 3M™ VC105 is a head mounted face protection solution. The VC105 features a high impact browguard for forehead and brow protection
- Ratchet headgear adjustment
- 1mm High Impact polycarbonate visor - 300mm x 200mm
- Splash resistance®

STANDARDS

Complies to AS/NZS 1337.1:2010 and carries (V) marking

CODE	DESCRIPTION	PACK QTY
VC105	Complete kit	1



FACESHIELD POLYCARBONATE VISOR WITH RATCHET HEADGEAR

FEATURES AND BENEFITS

- The Australian made 3M™ VC107 is a head mounted face protection solution. The VC107 features a high impact browguard for forehead and brow protection
- Ratchet adjustable headband
- Friction pivoting system for lifting & lowering
- 1mm polycarbonate visor - 400mm x175mm

STANDARDS

Complies to AS/NZS 1337.1:2010

CODE	DESCRIPTION	PACK QTY
VC107	High Impact, Clear/Blue, 400 mm x 175 mm	1



STANDARD HARD HATS



CUSTOM PRINTING AVAILABLE



Australian Standard AS/NZS 1801:1997 SAI Global Certified Product

NEW PUSH-KEY SUSPENSION



CUSTOM PRINTING AVAILABLE



Australian Standard AS/NZS 1801:1997 SAI Global Certified Product

NEW PUSH-KEY SUSPENSION

V-GARD™ 500 VENTED HARD HAT

FEATURES AND BENEFITS

- Sweat-wicking chamois feel/bamboo like replaceable foam sweatbands offer the 'Coolest yet' user experience
- ABS helmet shell offers good resistance to scratches
- Provides lateral crushing protection
- 6 point woven polyester textile suspension provide height & length adjustment
- Glaregard® textured underside of peak reduces glare & eye strain
- Rain gutter for wet conditions - prevents water running down the neck
- Earmuff & visor attachment slots are compatible with all of the V-Gard range

STANDARDS
Complies to AS/NZS 1801:1997 - Type 1

CODE	COLOUR	PACK QTY	CTN QTY
MS229700PWW0000	White	1	20
MS229700PYY0000	Yellow	1	20
MS229700PRR0000	Red	1	20
MS229700POO0000	Orange	1	20
MS229700PLE0000	Light Blue	1	20
MS229700PPK0000	Pink	1	20
MS229700PGG0000	Green	1	20
MS229700PFL0000	Fluro Lime (Yellow)	1	20

V-GARD™ 500 NON-VENTED HARD HAT

FEATURES AND BENEFITS

- Sweat-wicking chamois feel/bamboo like replaceable foam sweatbands offer the 'Coolest yet' user experience
- ABS helmet shell offers good resistance to scratches
- Provides lateral crushing protection
- 6 point woven polyester textile suspension provide height and length adjustment
- Glaregard® textured underside of peak reduces glare & eye strain
- Rain gutter for wet conditions - prevents water running down the neck
- Earmuff & visor attachment slots are compatible with all of the V-Gard range

STANDARDS
Complies to AS/NZS 1801:1997 - Type 1

CODE	COLOUR	PACK QTY	CTN QTY
MS229700UWW0000	White	1	20
MS229700UY00000	Yellow	1	20

WHY MSA PUSH-KEY IS THE BEST IN CLASS!

Premium harness with one hand operation open and close whilst on the head


Ability to retro-fit existing cap mounted ear-muffs to a new MSA cap

The trajectory of the light is now at 70 degree's for universal cap lamps

The suspension harness, has the ability to fit the head in the right position easily and safely

MSA's the only product globally that has the universal suspension that fits just about every head size!

The 'chamois feel/bamboo like' sweatband absorbs 10 x's its own weight in liquid v 4 x's with the terry towelling whilst feeling dry on the head facing shell and is easy to dry in 10 seconds!



PUSH-KEY ADJUSTMENTS



6 POINT HARNESS

NEW PUSH-KEY SUSPENSION

THE FASTEST SLIDING SUSPENSION ON THE MARKET with a simple push to open, squeeze to close

STANDARD HARD HATS



CUSTOM PRINTING AVAILABLE



Australian Standard AS/NZS 1801:1997 S4 (GB4844) **Certified Product**

NEW PUSH-KEY SUSPENSION

V-GARD™ FULL BRIM HARD HAT

FEATURES AND BENEFITS

- Sweat-wicking chamois feel/bamboo like replaceable foam sweatbands offer the 'Coolest yet' user experience
- Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Earmuff and visor attachment slots are compatible with all V-Gard accessories

STANDARDS

Complies to AS/NZS 1801:1997 - Type 1

CODE	COLOUR	PACK QTY	CTN QTY
MS220925PWW0000	White	1	20
MS220925PYY0000	Yellow	1	20
MS220925PRR0000	Red	1	20
MS220925POO0000	Orange	1	20
MS220925PLE0000	Light Blue	1	20
MS220925PGG0000	Green	1	20
MS220925PFO0000	Fluoro Orange	1	20



Australian Standard AS/NZS 1801:1997 S4 (GB4844) **Certified Product**

NEW PUSH-KEY SUSPENSION

V-GARD™ 500 MINERS VENTED HARD HAT WITH METAL LAMP BRACKET

FEATURES AND BENEFITS

- Sweat-wicking chamois feel/bamboo like, replaceable foam sweatbands offer the 'Coolest yet' user experience
- Robust design, durable shell construction
- Extended peak for greater visibility & extra protection from the sun & rain
- Glareguard surface underbrim to reduce reflective glare
- Rain gutter for wet conditions - prevents water running down the neck
- Earmuff & visor attachment slots are compatible with all V-Gard accessories

STANDARDS

Complies to AS/NZS 1801:1997 - Type 1

CODE	COLOUR	PACK QTY	CTN QTY
MS229355PWW0000	White	1	20
MS229355PYY0000	Yellow	1	20
MS229355PRR0000	Red	1	20
MS229355POO0000	Orange	1	20
MS229355PLE0000	Light Blue	1	20
MS229355PPK0000	Pink	1	20
MS229355PGG0000	Green	1	20
MS229355PFL0000	Fluoro Lime	1	20



CUSTOM PRINTING AVAILABLE



Australian Standard AS/NZS 1801:1997 S4 (GB4844) **Certified Product**

NEW PUSH-KEY SUSPENSION

V-GARD™ ELITE NON-VENTED HARD HAT

FEATURES AND BENEFITS

- Sweat-wicking chamois feel/bamboo like replaceable foam sweatbands offer the 'Coolest yet' user experience
- Robust design, durable shell construction
- Extended peak for greater visibility & extra protection from the sun & rain
- Glareguard® Surface underbrim to reduce reflective glare
- Custom imprinting & striping options
- Earmuff & visor attachment slots are compatible with all V-Gard accessories

STANDARDS

Complies to AS/NZS 1801:1997 - Type 1

CODE	COLOUR	PACK QTY	CTN QTY
MS226025PWW0000	White	1	20
MS226025PYY0000	Yellow	1	20
MS226025PRR0000	Red	1	20
MS226025POO0000	Orange	1	20
MS226025PLE0000	Light Blue	1	20
MS226025PGG0000	Green	1	20
MS226025PFL0000	Fluoro Lime	1	20



Australian Standard AS/NZS 1801:1997 S4 (GB4844) **Certified Product**

NEW PUSH-KEY SUSPENSION

V-GARD™ ELITE NON-VENTED HARD HAT WITH METAL LAMP BRACKET

FEATURES AND BENEFITS

- Sweat-wicking chamois feel/bamboo like, replaceable foam sweatbands offer the 'Coolest yet' user experience
- Robust design, durable shell construction
- Extended peak for greater visibility & extra protection from the sun & rain
- Glareguard surface underbrim to reduce reflective glare
- Earmuff & visor attachment slots

STANDARDS

Complies to AS/NZS 1801:1997 - Type 1

CODE	COLOUR	PACK QTY	CTN QTY
MS226065PWW0000	White	1	20
MS226065PYY0000	Yellow	1	20
MS226065PRR0000	Red	1	20
MS226065POO0000	Orange	1	20
MS226065PLE0000	Light Blue	1	20
MS226065PGG0000	Green	1	20
MS226065PFL0000	Fluoro Lime	1	20

V-GARD 500 ACCESSORIES



CHIN STRAP ELASTIC

FEATURES AND BENEFITS

- Elastic chin strap suits all MSA caps and hats

CODE	COLOUR	PACK QTY	CTN QTY
220553	Black	10	1000



SWEAT-WICKING REPLACEABLE FOAM SWEATBANDS

FEATURES AND BENEFITS

- Sweat-wicking chamois feel/bamboo like replaceable foam sweatbands offer the 'Coolest yet' user experience
- Unique smooth texture that is kind to the forehead and the most comfortable sweatband to date
- For use exclusively with the Push-Key range of V-Gard's

CODE	COLOUR	PACK QTY	CTN QTY
MS3335612	Black/Grey	1	1



V-GARD™ WINTER LINER KNIT CAP

FEATURES AND BENEFITS

- Delivers extra warmth & protection under safety helmets
- Certified under AS/NZS 1901 to be worn under a V-Gard hard hat

CODE	COLOUR	PACK QTY	CTN QTY
10118417	Black/Grey	1	1




TERRY TOWELLING SWEATBANDS

FEATURES AND BENEFITS

- Breathable foam helps keep workers cool, dry and comfortable
- Velcro or loop closure makes replacement easier

CODE	DESCRIPTION	COLOUR	PACK QTY	CTN QTY
224047	Velcro closure	Black	1	10
765550	Lug style loop closure	Black	20	800



V-GARD™ VISOR FRAME

FEATURES AND BENEFITS

- Unique 'V' shaped alignment guides with 3-point visor loading to fit and remove visors quickly
- Unique 'Debris control rubber gasket overlay' prevents debris falling in users face and eyes
- Sliding adjustment rails to allow space for other PPE items like eyewear and respiratory protection
- Non-metal for use in electrical applications
- Stowable slot adapters allow for use with or without earmuffs

CODE	COLOUR	PACK QTY	CTN QTY
10115730	Grey	1	1



V-GARD™ VISOR FLAT PC

FEATURES AND BENEFITS

- Designed for use with V-Gard frames and headgear
- Wider design for improved resistance to impact and splash hazards
- Maximum UV protection
- High impact protection rated under AS/NZS

CODE	DESCRIPTION	COLOUR	PACK QTY	CTN QTY
10115836	Flat, 190 X 432 X 1MM	Clear	1	1

FOR SAFE
**WORKING
LIVES**



safety & lifting

Bunzl Safety & Lifting

55 Sarah Andrews Close

Erskine Park NSW 2759

1800 967 573

bunzlsafety.com.au