

Mens Sizing

AUS/NZ	UK	USA	EUROPE
3	3	4	36
3.5	3.5	4.5	36.5
4	4	5	37
4.5	4.5	5.5	37.5
5	5	6	38
5.5	5.5	6.5	39
6	6	7	40
6.5	6.5	7.5	40.5
7	7	8	41
7.5	7.5	8.5	41.5
8	8	9	42
8.5	8.5	9.5	42.5
9	9	10	43
9.5	9.5	10.5	44
10	10	11	45
10.5	10.5	11.5	45.5
11	11	12	46
11.5	11.5	12.5	46.5
12	12	13	47
12.5	12.5	13.5	47.5
13	13	14	48
13.5	13.5	14.5	48.5
14	14	15	49
15	15	16	49.5
16	16	17	50

Womens Sizing

AUS/NZ	UK	USA	EUROPE
4	2	4	35
4.5	2.5	4.5	36
5	3	5	36
5.5	3.5	5.5	36.5
6	4	6	37
6.5	4.5	6.5	37.5
7	5	7	38
7.5	5.5	7.5	39
8	6	8	40
8.5	6.5	8.5	40.5
9	7	9	41
9.5	7.5	9.5	41.5
10	8	10	42
10.5	8.5	10.5	42.5
11	9	11	43

OLIVER FOOTWEAR SIZE CONVERSION CHART

UK/AUST MEN	UK/AUST LADIES	METRIC	USA MEN	USA LADIES
2	4	34	3	4, 4½
3	5	35	4	5, 5½
4	6	36	5	6, 6½
4½	6½	37	5½	7
5	7	38	6	7½
5½	7½		6½	8
6	8	39	7	8½
6½	8½	40	7½	9
7	9	41	8	9½
7½	9½		8½	10
8	10	42	9	10½
8½			9½	11
9		43	10	
9½			10½	
10		44	11	
10½		45	11½	
11		46	12	
12		47	13	
13		48	14	
14		49	15	
15		50	16	
16		51	17	
17		52	18	

FITTING SCALE

14 _____
 13 _____
 12 _____
 11 _____
 10 _____
 9 _____
 8 _____
 7 _____
 6 _____
 5 _____
 4 _____
 3 _____
 2 _____

FEMALE SIZE COMPARISON CHART		
METRIC SIZE	EQUIVALENT STRAIGHT SIZE	EQUIVALENT FRACTIONAL SIZE
35	3 and 3½	5B
36	4	6B
37	4½	6½B
38	5 and 5½	7B and 7½B
39	6	8B
40	6½	8½B
41	7 and 7½	9B and 9½B
42	8	10B

_____ 42
 _____ 41
 _____ 40
 _____ 39
 _____ 38
 _____ 37
 _____ 36
 _____ 35

MENS

WOMENS

**MEASURE BOTH FEET
 ORDER LONGER FOOT**



BALLARAT AUSTRALIA

JOIN PAGE 2
HERE

JOIN PAGE 2
HERE

JOIN HERE
PAGE 1

THIS LINE SHOULD BE 10cm LONG

JOIN HERE
PAGE 1



If not, please ensure "PAGE SCALING" is set to "NONE" in the Adobe Reader print preferences.

For fitting accuracy follow the steps below:

- 1. Place fitting scale on floor with heel section against a wall.**
- 2. Place your heel against vertical upright section. Wear your normal sock and measure the length of both feet and fit the longest foot.**
- 3. When toe crosses a line select the next larger size.**

**PLACE HEEL
HERE**

**PLACE ARROW
AGAINST
WALL**



0908